



EUROPEAN RENAL ASSOCIATION

EUROPEAN DIALYSIS AND TRANSPLANT ASSOCIATION

Registered Charity No. 1060134

Annual Report 2005

United Kingdom, All countries

United Kingdom, England

United Kingdom, Northern Ireland

United Kingdom, Scotland

United Kingdom, Wales



ERA-EDTA Registry

ERA-EDTA Registry

Academic Medical Center
Department of Medical Informatics
Room J1B-125
PO Box 22700
1100 DE Amsterdam
The Netherlands

Telephone +31 20 566 7637
Fax +31 20 691 9840
E-mail erareg@amc.uva.nl
Website www.era-edta-reg.org

Table of Contents

A1 AFFILIATED REGISTRY INFORMATION FOR 2005

| | |
|---|----------|
| Table A.1.1 | 5 |
| General population of the country/region and percent coverage of general population in 2005 | |
| Table A.1.2 | 6 |
| Renal centres: total number of centres and number collaborating | |

A2 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 1

| | |
|--|-----------|
| Table A.2.1 | 7 |
| Incident counts and percentage | |
| Table A.2.2 | 8 |
| Gender, mean and median age of incident patients <i>at day 1</i> | |
| Table A.2.3 | 9 |
| Incident rates per million population, unadjusted <i>at day 1, by age and gender</i> | |
| Table A.2.4 | 10 |
| Incident rates per million population, unadjusted <i>at day 1, by cause of renal failure</i> | |
| Table A.2.5 | 11 |
| Incident rates per million population, adjusted <i>at day 1, by cause of renal failure, adjusted for age and gender</i> | |

A3 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 91

| | |
|---|-----------|
| Table A.3.1 | 12 |
| Incident counts and percentage <i>at day 91, by age and gender</i> | |
| Table A.3.2 | 13 |
| Gender, mean and median age of incident patients <i>at day 91</i> | |
| Table A.3.3 | 14 |
| Incident rates per million population, unadjusted <i>at day 91, by age and gender</i> | |
| Table A.3.4 | 15 |
| Incident rates per million population, unadjusted <i>at day 91, by cause of renal failure</i> | |
| Table A.3.5 | 16 |
| Incident rates per million population, adjusted <i>at day 91, by cause of renal failure, adjusted for age and gender</i> | |
| Table A.3.6 | 17 |
| Incident counts <i>at day 91, by established therapy</i> | |
| Table A.3.7 | 18 |
| Incident rates per million population, unadjusted <i>at day 91, by established therapy</i> | |
| Table A.3.8 | 19 |
| Incident rates per million population, adjusted <i>at day 91, by established therapy, adjusted for age and gender</i> | |
| Table A.3.9 | 20 |
| Percentage of established therapy, unadjusted <i>at day 91</i> | |
| Table A.3.10 | 21 |
| Percentage of established therapy, unadjusted <i>at day 91, by age, gender and primary diagnosis</i> | |

A4 PREVALENT PATIENTS ON RRT IN 2005

| | |
|---|-----------|
| Table A.4.1 | 22 |
| Prevalence counts and percentage <i>prevalent patients on December 31, by age and gender</i> | |
| Table A.4.2 | 23 |
| Gender, mean and median age <i>prevalent patients on December 31</i> | |
| Table A.4.3 | 24 |
| Prevalence per million population, unadjusted <i>prevalent patients on December 31, by age and gender</i> | |
| Table A.4.4 | 25 |
| Prevalence per million population and percentage, unadjusted <i>prevalent patients on December 31, by cause of renal failure</i> | |
| Table A.4.5 | 26 |
| Prevalence per million population, adjusted <i>prevalent patients on December 31, by cause of renal failure, adjusted for age and gender</i> | |
| Table A.4.6 | 27 |
| Prevalence counts <i>prevalent patients on December 31, by established therapy</i> | |
| Table A.4.7 | 28 |
| Prevalence per million population, unadjusted <i>prevalent patients on December 31, by established therapy</i> | |
| Table A.4.8 | 29 |
| Prevalence per million population, adjusted <i>prevalent patients on December 31, by established therapy, adjusted for age and gender</i> | |
| Table A.4.9 | 30 |
| Percentage of established therapy, unadjusted <i>prevalent patients on December 31</i> | |
| Table A.4.10 | 31 |
| Percentage of established therapy, unadjusted <i>prevalent patients on December 31, by age, gender and primary diagnosis</i> | |
| Table A.4.11 | 32 |
| Renal transplants performed in 2005, number and percentage <i>by donor type</i> | |
| Table A.4.12 | 33 |
| Renal transplants per million population performed in 2005 <i>by donor type</i> | |

Table A.1.1
General population of the country/region and percent coverage of general population in 2005

| | General population of whole country/region in thousands | % Coverage of general population by the registry |
|----------------------------------|--|---|
| United Kingdom, All countries | 60209 | 92.0 |
| United Kingdom, England | 50432 | 90.0 |
| United Kingdom, Northern Ireland | 1725 | 100 |
| United Kingdom, Scotland | 5095 | 100 |
| United Kingdom, Wales | 2959 | 100 |

Table A.1.2
Renal centres: total number of centres and number collaborating

| | Total number of renal centres of whole country/region | Number of renal centres collaborating with the registry |
|----------------------------------|--|--|
| United Kingdom, All countries | 70 | 65 |
| United Kingdom, England | 50 | 45 |
| United Kingdom, Northern Ireland | 5 | 5 |
| United Kingdom, Scotland | | |
| United Kingdom, Wales | 5 | 5 |

A2 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 1

Table A.2.1
Incident counts and percentage
at day 1, by age and gender

| | All | | | | | | 0-19 | | | | | | 20-44 | | | | | | 45-64 | | | | | | 65-74 | | | | | | 75+ | | | | | |
|----------------------------------|------|-----|------|-----|-------|-----|------|---|------|----|-------|----|-------|----|------|----|-------|----|-------|----|------|----|-------|----|-------|----|------|----|-------|----|-----|----|-----|----|-------|----|
| | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | | |
| United Kingdom, All countries | 5841 | 100 | 3583 | 100 | 2258 | 100 | | | 1027 | 18 | 598 | 17 | 429 | 19 | 1812 | 31 | 1099 | 31 | 713 | 32 | 1588 | 27 | 981 | 27 | 607 | 27 | 1414 | 24 | 905 | 25 | 509 | 23 | | | | |
| United Kingdom, England | 4618 | 100 | 2863 | 100 | 1755 | 100 | | | 843 | 18 | 491 | 17 | 352 | 20 | 1440 | 31 | 879 | 31 | 561 | 32 | 1244 | 27 | 777 | 27 | 467 | 27 | 1091 | 24 | 716 | 25 | 375 | 21 | | | | |
| United Kingdom, Northern Ireland | 245 | 100 | 144 | 100 | 101 | 100 | | | 38 | 16 | 24 | 17 | 14 | 14 | 70 | 29 | 42 | 29 | 28 | 28 | 64 | 26 | 43 | 30 | 21 | 21 | 73 | 30 | 35 | 24 | 38 | 38 | | | | |
| United Kingdom, Scotland | 619 | 100 | 357 | 100 | 262 | 100 | 11 | 2 | 7 | 2 | 4 | 2 | 104 | 17 | 61 | 17 | 43 | 16 | 186 | 30 | 111 | 31 | 75 | 29 | 168 | 27 | 88 | 25 | 80 | 31 | 150 | 24 | 90 | 25 | 60 | 23 |
| United Kingdom, Wales | 370 | 100 | 226 | 100 | 144 | 100 | | | 42 | 11 | 22 | 10 | 20 | 14 | 116 | 31 | 67 | 30 | 49 | 34 | 112 | 30 | 73 | 32 | 39 | 27 | 100 | 27 | 64 | 28 | 36 | 25 | | | | |

Categories may not add up to total or to 100% because of missing values or rounding off

Percentages are row percentages

When cells are left empty, (complete) data are unavailable

A2 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 1

Table A.2.2
Gender, mean and median age of incident patients
at day 1

| | All | | | | Men | | | | Women | | | |
|----------------------------------|-----|-----------------|------|-------------------|------|-----------------|------|-------------------|-------|-----------------|------|-------------------|
| | % | Mean (years) | SD | Median (years) | % | Mean (years) | SD | Median (years) | % | Mean (years) | SD | Median (years) |
| United Kingdom, All countries † | 100 | 62.1 | 16.0 | 65.6 | 61.3 | 62.6 | 15.9 | 66.1 | 38.7 | 61.3 | 16.1 | 64.8 |
| United Kingdom, England | 100 | 61.8 | 16.1 | 65.2 | 62.0 | 62.4 | 16.0 | 65.9 | 38.0 | 60.7 | 16.2 | 63.9 |
| United Kingdom, Northern Ireland | 100 | 63.7 | 16.3 | 67.9 | 58.8 | 62.9 | 15.8 | 66.9 | 41.2 | 64.9 | 17.0 | 69.4 |
| United Kingdom, Scotland | 100 | 61.4 | 17.0 | 65.4 | 57.7 | 61.1 | 17.2 | 64.8 | 42.3 | 61.9 | 16.6 | 66.5 |
| United Kingdom, Wales | 100 | 65.1 | 14.5 | 67.9 | 61.1 | 65.9 | 13.7 | 68.6 | 38.9 | 63.8 | 15.6 | 66.5 |

Categories may not add up to total or to 100% because of missing values or rounding off

† Patients younger than 20 years of age are not reported

A2 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 1

Table A.2.3
Incident rates per million population, unadjusted
at day 1, by age and gender

| | All | | | 0-19 | | | 20-44 | | | 45-64 | | | 65-74 | | | 75+ | | |
|----------------------------------|-------|-------|-------|------|------|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | All | Men | Women | All | Men | Women | All | Men | Women | All | Men | Women | All | Men | Women | All | Men | Women |
| | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp |
| United Kingdom, All countries | 105.9 | 132.7 | 80.2 | | | | 53.3 | 62.3 | 44.4 | 134.1 | 165.0 | 104.1 | 343.0 | 447.9 | 248.8 | 335.6 | 563.5 | 195.2 |
| United Kingdom, England | 101.7 | 128.6 | 75.9 | | | | 52.8 | 61.5 | 44.1 | 130.4 | 161.3 | 100.3 | 329.8 | 433.4 | 235.9 | 313.5 | 536.7 | 174.7 |
| United Kingdom, Northern Ireland | 142.1 | 170.5 | 114.8 | | | | 62.7 | 79.8 | 45.8 | 177.5 | 216.2 | 139.9 | 498.1 | 725.1 | 303.5 | 677.2 | 881.6 | 558.0 |
| United Kingdom, Scotland | 121.5 | 145.4 | 99.3 | 9.2 | 11.5 | 6.9 | 59.3 | 71.1 | 48.0 | 141.5 | 172.9 | 111.5 | 367.9 | 422.7 | 321.9 | 398.5 | 656.4 | 250.7 |
| United Kingdom, Wales | 125.1 | 157.2 | 94.7 | | | | 44.3 | 47.2 | 41.4 | 152.3 | 179.3 | 126.4 | 412.1 | 562.4 | 274.6 | 400.8 | 672.3 | 233.3 |

When cells are left empty, (complete) data are unavailable

A2 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 1

Table A.2.4
Incident rates per million population, unadjusted
at day 1, by cause of renal failure

| | Total | | GN | | PN | | PKD | | DM | | | | | | HT | | RVD | | Misc | | Unkn | | Missing | |
|----------------------------------|-------|-----|------|------|------|------|-----|-----|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|---------|-----|
| | | | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % |
| | | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp |
| United Kingdom, All countries † | 105.9 | 100 | 11.8 | 12.2 | 7.8 | 8.1 | 5.6 | 5.9 | | | 19.2 | 18.1 | 4.6 | 4.8 | 5.4 | 5.6 | 17.5 | 18.2 | 24.4 | 25.3 | 0 | 0 | | |
| United Kingdom, England | 101.7 | 100 | 11.3 | 12.3 | 7.5 | 8.2 | 5.3 | 5.7 | 9.3 | 10.1 | 8.8 | 9.6 | 18.0 | 17.7 | 4.8 | 5.3 | 4.5 | 4.9 | 17.1 | 18.6 | 23.2 | 25.3 | 0 | 0 |
| United Kingdom, Northern Ireland | 142.1 | 100 | 12.8 | 10.8 | 14.5 | 12.3 | 8.7 | 7.4 | | | 21.5 | 15.1 | 2.9 | 2.5 | 11.0 | 9.4 | 28.4 | 24.1 | 18.0 | 15.3 | 0 | 0 | | |
| United Kingdom, Scotland | 121.5 | 100 | 12.8 | 10.6 | 10.0 | 8.3 | 7.9 | 6.5 | 13.0 | 10.7 | 11.0 | 9.1 | 23.9 | 19.7 | 4.1 | 3.4 | 11.6 | 9.6 | 18.8 | 15.6 | 31.8 | 26.3 | 0 | 0 |
| United Kingdom, Wales | 125.1 | 100 | 16.6 | 14.5 | 5.1 | 4.5 | 5.7 | 5.0 | 14.9 | 13.1 | 12.5 | 11.0 | 27.4 | 21.9 | 3.0 | 2.7 | 5.7 | 5.0 | 16.9 | 14.8 | 33.5 | 29.4 | 0 | 0 |

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

A2 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 1

Table A.2.5
Incident rates per million population, adjusted
at day 1, by cause of renal failure, adjusted for age and gender

| | DM | | | | | | | | | | | |
|----------------------------------|--------------|-----------|-----------|------------|---------------|----------------|-------------|-----------|------------|-------------|-------------|--|
| | Total Pmp | GN Pmp | PN Pmp | PKD Pmp | Type I Pmp | Type II Pmp | Both Pmp | HT Pmp | RVD Pmp | Misc Pmp | Unkn Pmp | |
| United Kingdom, All countries † | 104.3 | 11.8 | 7.5 | 5.6 | | | 19.2 | 4.6 | 5.2 | 17.2 | 23.7 | |
| United Kingdom, England | 100.5 | 11.4 | 7.2 | 5.2 | 9.3 | 8.9 | 18.2 | 4.8 | 4.3 | 16.9 | 22.7 | |
| United Kingdom, Northern Ireland | 155.5 | 13.2 | 16.0 | 9.2 | | | 23.6 | 3.3 | 12.2 | 31.6 | 19.5 | |
| United Kingdom, Scotland | 117.8 | 12.5 | 10.1 | 7.4 | 12.6 | 10.5 | 23.1 | 3.9 | 11.1 | 18.4 | 30.6 | |
| United Kingdom, Wales | 114.2 | 15.9 | 4.3 | 5.3 | 14.1 | 11.5 | 25.6 | 2.7 | 4.7 | 15.4 | 29.8 | |

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

A3 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 91

Table A.3.1
Incident counts and percentage
at day 91, by age and gender

| | All | | | | | | 0-19 | | | | | | 20-44 | | | | | | 45-64 | | | | | | 65-74 | | | | | | 75+ | | | | | |
|----------------------------------|------|-----|------|-----|-------|-----|------|---|------|----|-------|----|-------|----|------|----|-------|----|-------|----|------|----|-------|----|-------|----|------|----|-------|----|-----|----|-----|----|-------|----|
| | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | | |
| United Kingdom, All countries | 5336 | 100 | 3303 | 100 | 2033 | 100 | | | 1027 | 19 | 600 | 18 | 427 | 21 | 1707 | 32 | 1038 | 31 | 669 | 33 | 1422 | 27 | 896 | 27 | 526 | 26 | 1180 | 22 | 769 | 23 | 411 | 20 | | | | |
| United Kingdom, England | 4241 | 100 | 2653 | 100 | 1588 | 100 | | | 847 | 20 | 495 | 19 | 352 | 22 | 1356 | 32 | 835 | 31 | 521 | 33 | 1119 | 26 | 709 | 27 | 410 | 26 | 919 | 22 | 614 | 23 | 305 | 19 | | | | |
| United Kingdom, Northern Ireland | 210 | 100 | 124 | 100 | 86 | 100 | | | 37 | 18 | 23 | 19 | 14 | 16 | 61 | 29 | 34 | 27 | 27 | 31 | 54 | 26 | 37 | 30 | 17 | 20 | 58 | 28 | 30 | 24 | 28 | 33 | | | | |
| United Kingdom, Scotland | 568 | 100 | 330 | 100 | 238 | 100 | 10 | 2 | 6 | 2 | 4 | 2 | 101 | 18 | 60 | 18 | 41 | 17 | 178 | 31 | 105 | 32 | 73 | 31 | 153 | 27 | 83 | 25 | 70 | 29 | 126 | 22 | 76 | 23 | 50 | 21 |
| United Kingdom, Wales | 327 | 100 | 202 | 100 | 125 | 100 | | | 42 | 13 | 22 | 11 | 20 | 16 | 112 | 34 | 64 | 32 | 48 | 38 | 96 | 29 | 67 | 33 | 29 | 23 | 77 | 24 | 49 | 24 | 28 | 22 | | | | |

Categories may not add up to total or to 100% because of missing values or rounding off

Percentages are row percentages

When cells are left empty, (complete) data are unavailable

A3 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 91

Table A.3.2
Gender, mean and median age of incident patients
at day 91

| | All | | | | Men | | | | Women | | | |
|----------------------------------|-----|-----------------|------|-------------------|------|-----------------|------|-------------------|-------|-----------------|------|-------------------|
| | % | Mean (years) | SD | Median (years) | % | Mean (years) | SD | Median (years) | % | Mean (years) | SD | Median (years) |
| United Kingdom, All countries † | 100 | 61.1 | 16.1 | 64.4 | 61.9 | 61.7 | 16.0 | 65.1 | 38.1 | 60.1 | 16.2 | 62.8 |
| United Kingdom, England | 100 | 60.8 | 16.2 | 64.0 | 62.6 | 61.5 | 16.2 | 65.0 | 37.4 | 59.6 | 16.3 | 62.3 |
| United Kingdom, Northern Ireland | 100 | 62.5 | 16.3 | 66.3 | 59.0 | 62.2 | 15.8 | 66.3 | 41.0 | 62.8 | 17.0 | 66.5 |
| United Kingdom, Scotland | 100 | 60.7 | 16.9 | 64.5 | 58.1 | 60.4 | 17.2 | 64.4 | 41.9 | 61.1 | 16.6 | 65.1 |
| United Kingdom, Wales | 100 | 63.8 | 14.8 | 66.2 | 61.8 | 64.9 | 13.8 | 67.5 | 38.2 | 62.0 | 16.1 | 63.4 |

Categories may not add up to total or to 100% because of missing values or rounding off

† Patients younger than 20 years of age are not reported

A3 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 91

Table A.3.3
Incident rates per million population, unadjusted
at day 91, by age and gender

| | All | | | 0-19 | | | 20-44 | | | 45-64 | | | 65-74 | | | 75+ | | |
|----------------------------------|-------|-------|-------|------|-----|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | All | Men | Women | All | Men | Women | All | Men | Women | All | Men | Women | All | Men | Women | All | Men | Women |
| | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp |
| United Kingdom, All countries | 96.7 | 122.3 | 72.2 | | | | 53.3 | 62.5 | 44.2 | 126.3 | 155.9 | 97.6 | 307.2 | 409.1 | 215.6 | 280.0 | 478.8 | 157.6 |
| United Kingdom, England | 93.4 | 119.1 | 68.7 | | | | 53.1 | 62.0 | 44.1 | 122.8 | 153.2 | 93.2 | 296.6 | 395.5 | 207.1 | 264.1 | 460.3 | 142.1 |
| United Kingdom, Northern Ireland | 121.8 | 146.8 | 97.7 | | | | 61.0 | 76.4 | 45.8 | 154.7 | 175.0 | 134.9 | 420.2 | 623.9 | 245.7 | 538.0 | 755.7 | 411.2 |
| United Kingdom, Scotland | 111.5 | 134.4 | 90.2 | 8.4 | 9.8 | 6.9 | 57.6 | 69.9 | 45.7 | 135.4 | 163.6 | 108.5 | 335.0 | 398.7 | 281.7 | 334.8 | 554.3 | 209.0 |
| United Kingdom, Wales | 110.5 | 140.5 | 82.2 | | | | 44.3 | 47.2 | 41.4 | 147.1 | 171.3 | 123.8 | 353.2 | 516.2 | 204.2 | 308.6 | 514.7 | 181.5 |

When cells are left empty, (complete) data are unavailable

A3 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 91

Table A.3.4
Incident rates per million population, unadjusted
at day 91, by cause of renal failure

| | Total | | GN | | PN | | PKD | | DM | | | HT | | RVD | | Misc | Unkn | Missing | | | | | | |
|----------------------------------|-------|-----|------|------|------|------|-----|-----|------|------|------|------|------|------|------|------|------|---------|------|------|------|------|---|---|
| | | | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| United Kingdom, All countries † | 96.7 | 100 | 11.3 | 12.8 | 7.3 | 8.3 | 5.5 | 6.2 | | | 17.9 | 18.6 | 4.4 | 5.0 | 4.8 | 5.4 | 15.5 | 17.5 | 21.9 | 24.6 | 0 | 0 | | |
| United Kingdom, England | 93.4 | 100 | 10.9 | 12.8 | 7.1 | 8.3 | 5.2 | 6.1 | 8.8 | 10.4 | 8.1 | 9.5 | 16.9 | 18.1 | 4.7 | 5.5 | 3.9 | 4.6 | 15.2 | 18.0 | 21.0 | 24.8 | 0 | 0 |
| United Kingdom, Northern Ireland | 121.8 | 100 | 12.8 | 11.8 | 13.9 | 12.9 | 8.7 | 8.1 | | | 19.7 | 16.2 | 2.3 | 2.2 | 11.0 | 10.2 | 23.2 | 21.5 | 16.2 | 15.1 | 0 | 0 | | |
| United Kingdom, Scotland | 111.5 | 100 | 11.8 | 10.6 | 9.4 | 8.5 | 7.7 | 6.9 | 12.6 | 11.3 | 9.6 | 8.7 | 22.2 | 19.9 | 3.7 | 3.4 | 10.8 | 9.7 | 16.9 | 15.2 | 28.5 | 25.7 | 0 | 0 |
| United Kingdom, Wales | 110.5 | 100 | 16.9 | 16.3 | 4.7 | 4.6 | 5.7 | 5.5 | 14.2 | 13.7 | 11.8 | 11.4 | 26.0 | 23.5 | 3.0 | 2.9 | 5.1 | 4.9 | 14.9 | 14.3 | 27.4 | 26.4 | 0 | 0 |

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

A3 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 91

Table A.3.5

Incident rates per million population, adjusted

at day 91, by cause of renal failure, adjusted for age and gender

| | DM | | | | | | | | | | | |
|----------------------------------|--------------|-----------|-----------|------------|---------------|----------------|-------------|-----------|------------|-------------|-------------|--|
| | Total Pmp | GN Pmp | PN Pmp | PKD Pmp | Type I Pmp | Type II Pmp | Both Pmp | HT Pmp | RVD Pmp | Misc Pmp | Unkn Pmp | |
| United Kingdom, All countries † | 95.6 | 11.4 | 7.2 | 5.5 | | | 18.0 | 4.4 | 4.7 | 15.4 | 21.4 | |
| United Kingdom, England | 92.6 | 11.0 | 6.9 | 5.1 | 8.9 | 8.1 | 17.0 | 4.6 | 3.8 | 15.1 | 20.6 | |
| United Kingdom, Northern Ireland | 133.2 | 13.2 | 15.2 | 9.2 | | | 21.7 | 2.6 | 12.2 | 25.8 | 17.7 | |
| United Kingdom, Scotland | 108.2 | 11.6 | 9.5 | 7.2 | 12.2 | 9.3 | 21.5 | 3.6 | 10.4 | 16.6 | 27.4 | |
| United Kingdom, Wales | 101.8 | 16.2 | 3.9 | 5.3 | 13.4 | 10.9 | 24.3 | 2.7 | 4.2 | 13.8 | 24.9 | |

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

A3 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 91

Table A.3.6
Incident counts
at day 91, by established therapy

| | Total | Haemodialysis | | | | | | Peritoneal dialysis | | | | Transplant | | | | Unkn | Missing |
|----------------------------------|-------|--------------------|---------|--------------|----|-----|-----------------|---------------------|------|--------------|----------|------------|---------|--------------|----------|------|---------|
| | | HD hospital/centre | HD home | HD type Unkn | HF | HDF | Total HD/HF/HDF | APD | CAPD | PD type Unkn | Total PD | Living | Cadaver | Tx type Unkn | Total Tx | | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| United Kingdom, All countries † | 5336 | 3702 | 5 | 29 | | | 3742 | 298 | 1010 | 26 | 1334 | 66 | 127 | 67 | 260 | 0 | 0 |
| United Kingdom, England | 4241 | 2888 | 5 | 29 | 5 | 1 | 2928 | 222 | 832 | 25 | 1079 | 59 | 110 | 65 | 234 | 0 | 0 |
| United Kingdom, Northern Ireland | 210 | 167 | 0 | 0 | 0 | 0 | 167 | 22 | 18 | 1 | 41 | 1 | 1 | 0 | 2 | 0 | 0 |
| United Kingdom, Scotland | 568 | 409 | 0 | 0 | | | 409 | 51 | 93 | 0 | 144 | 6 | 4 | 5 | 15 | 0 | 0 |
| United Kingdom, Wales | 327 | 241 | 0 | 0 | 0 | 0 | 241 | 6 | 68 | 0 | 74 | 0 | 12 | 0 | 12 | 0 | 0 |

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

A3 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 91

Table A.3.7
Incident rates per million population, unadjusted
at day 91, by established therapy

| | Total | Haemodialysis | | | | | | Peritoneal dialysis | | | | Transplant | | | | Unkn | Missing |
|----------------------------------|-------|--------------------|---------|--------------|-----|-----|-----------------|---------------------|------|--------------|----------|------------|---------|--------------|----------|------|---------|
| | | HD hospital/centre | HD home | HD type Unkn | HF | HDF | Total HD/HF/HDF | APD | CAPD | PD type Unkn | Total PD | Living | Cadaver | Tx type Unkn | Total Tx | | |
| | | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp |
| United Kingdom, All countries † | 96.7 | 67.1 | 0 | 0.5 | | | 67.8 | 5.4 | 18.3 | 0 | 24.2 | 1.2 | 2.3 | 1.2 | 4.7 | 0 | 0 |
| United Kingdom, England | 93.4 | 63.6 | 0 | 0.6 | 0 | 0 | 64.5 | 4.9 | 18.3 | 0.6 | 23.8 | 1.3 | 2.4 | 1.4 | 5.2 | 0 | 0 |
| United Kingdom, Northern Ireland | 121.8 | 96.8 | 0 | 0 | 0 | 0 | 96.8 | 12.8 | 10.4 | 0.6 | 23.8 | 0.6 | 0.6 | 0 | 1.2 | 0 | 0 |
| United Kingdom, Scotland | 111.5 | 80.3 | 0 | 0 | | | 80.3 | 10.0 | 18.3 | 0 | 28.3 | 1.2 | 0.8 | 1.0 | 2.9 | 0 | 0 |
| United Kingdom, Wales | 110.5 | 81.5 | 0 | 0 | 0 | 0 | 81.5 | 2.0 | 23.0 | 0 | 25.0 | 0 | 4.1 | 0 | 4.1 | 0 | 0 |

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

A3 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 91

Table A.3.8
Incident rates per million population, adjusted
at day 91, by established therapy, adjusted for age and gender

| | Total | Haemodialysis | | | | | | Peritoneal dialysis | | | | Transplant | | | | Unkn | Missing |
|----------------------------------|-------|--------------------|---------|--------------|-----|-----|-----------------|---------------------|------|--------------|----------|------------|---------|--------------|----------|------|---------|
| | | HD hospital/centre | HD home | HD type Unkn | HF | HDF | Total HD/HF/HDF | APD | CAPD | PD type Unkn | Total PD | Living | Cadaver | Tx type Unkn | Total Tx | | |
| | | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp |
| United Kingdom, All countries † | 95.6 | 65.9 | 0 | 0.5 | | | 66.6 | 5.4 | 18.2 | 0 | 24.1 | 1.2 | 2.3 | 1.2 | 4.8 | 0 | 0 |
| United Kingdom, England | 92.6 | 62.7 | 0 | 0.6 | 0 | 0 | 63.6 | 4.9 | 18.3 | 0.5 | 23.8 | 1.3 | 2.5 | 1.4 | 5.2 | 0 | 0 |
| United Kingdom, Northern Ireland | 133.2 | 106.4 | 0 | 0 | 0 | 0 | 106.4 | 13.2 | 11.6 | 0.7 | 25.5 | 0.6 | 0.6 | 0 | 1.3 | 0 | 0 |
| United Kingdom, Scotland | 108.2 | 77.4 | 0 | 0 | | | 77.4 | 9.8 | 17.9 | 0 | 27.7 | 1.3 | 0.8 | 1.0 | 3.1 | 0 | 0 |
| United Kingdom, Wales | 101.8 | 73.5 | 0 | 0 | 0 | 0 | 73.5 | 2.0 | 22.1 | 0 | 24.1 | 0 | 4.2 | 0 | 4.2 | 0 | 0 |

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

A3 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 91

Table A.3.9
Percentage of established therapy, unadjusted
at day 91

| | Total | Haemodialysis | | | | | | Peritoneal dialysis | | | | Transplant | | | | Unkn | Missing |
|----------------------------------|-------|--------------------|---------|--------------|----|-----|-----------------|---------------------|------|--------------|----------|------------|---------|--------------|----------|------|---------|
| | | HD hospital/centre | HD home | HD type Unkn | HF | HDF | Total HD/HF/HDF | APD | CAPD | PD type Unkn | Total PD | Living | Cadaver | Tx type Unkn | Total Tx | | |
| | | % | % | % | % | % | % | % | % | % | % | % | % | % | % | | |
| United Kingdom, All countries † | 100 | 69.4 | 0 | 0.5 | | | 70.1 | 5.6 | 18.9 | 0 | 25.0 | 1.2 | 2.4 | 1.3 | 4.9 | 0 | 0 |
| United Kingdom, England | 100 | 68.1 | 0 | 0.7 | 0 | 0 | 69.0 | 5.2 | 19.6 | 0.6 | 25.4 | 1.4 | 2.6 | 1.5 | 5.5 | 0 | 0 |
| United Kingdom, Northern Ireland | 100 | 79.5 | 0 | 0 | 0 | 0 | 79.5 | 10.5 | 8.6 | 0 | 19.5 | 0 | 0 | 0 | 1.0 | 0 | 0 |
| United Kingdom, Scotland | 100 | 72.0 | 0 | 0 | | | 72.0 | 9.0 | 16.4 | 0 | 25.4 | 1.1 | 0.7 | 0.9 | 2.6 | 0 | 0 |
| United Kingdom, Wales | 100 | 73.7 | 0 | 0 | 0 | 0 | 73.7 | 1.8 | 20.8 | 0 | 22.6 | 0 | 3.7 | 0 | 3.7 | 0 | 0 |

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

A3 INCIDENT PATIENTS ACCEPTED FOR RRT IN 2005 AT DAY 91

Table A.3.10
Percentage of established therapy, unadjusted
at day 91, by age, gender and primary diagnosis

| | Total | | | | 0-19 | | | | 20-44 | | | | 45-64 | | | | 65-74 | | | | 75+ | | | | Men | | | | Women | | | | DM | | | | Non DM | | | |
|----------------------------------|-------|----|----|---|------|----|-----|---|-------|----|----|---|-------|----|-----|---|-------|----|----|---|-----|----|-----|---|-----|----|----|---|-------|----|-----|---|----|----|----|---|--------|----|-----|---|
| | HD | | PD | | Tx | | Oth | | HD | | PD | | Tx | | Oth | | HD | | PD | | Tx | | Oth | | HD | | PD | | Tx | | Oth | | HD | | PD | | Tx | | Oth | |
| | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | |
| United Kingdom, All countries | 70 | 25 | 5 | 0 | | | | | 53 | 33 | 14 | 0 | 63 | 32 | 6 | 0 | 79 | 20 | 1 | 0 | 85 | 14 | 0 | 0 | 71 | 24 | 5 | 0 | 68 | 27 | 5 | 0 | 71 | 26 | 3 | 0 | 70 | 25 | 5 | 0 |
| United Kingdom, England | 69 | 25 | 6 | 0 | | | | | 53 | 31 | 15 | 0 | 62 | 32 | 6 | 0 | 78 | 21 | 1 | 0 | 83 | 16 | 0 | 0 | 70 | 25 | 5 | 0 | 67 | 27 | 6 | 0 | 69 | 28 | 3 | 0 | 69 | 25 | 6 | 0 |
| United Kingdom, Northern Ireland | 80 | 20 | 1 | 0 | | | | | 59 | 38 | 3 | 0 | 72 | 26 | 2 | 0 | 81 | 19 | 0 | 0 | 98 | 2 | 0 | 0 | 80 | 20 | 0 | 0 | 79 | 19 | 2 | 0 | 79 | 21 | 0 | 0 | 80 | 19 | 1 | 0 |
| United Kingdom, Scotland | 72 | 25 | 3 | 0 | 30 | 40 | 30 | 0 | 49 | 43 | 9 | 0 | 65 | 34 | 2 | 0 | 83 | 17 | 0 | 0 | 91 | 9 | 0 | 0 | 78 | 20 | 2 | 0 | 64 | 33 | 3 | 0 | 78 | 20 | 2 | 0 | 71 | 27 | 3 | 0 |
| United Kingdom, Wales | 74 | 23 | 4 | 0 | | | | | 48 | 40 | 12 | 0 | 68 | 28 | 4 | 0 | 80 | 18 | 2 | 0 | 88 | 12 | 0 | 0 | 70 | 25 | 4 | 0 | 79 | 18 | 2 | 0 | 81 | 17 | 3 | 0 | 72 | 24 | 4 | 0 |

Abbreviations used: HD: haemodialysis; PD: peritoneal dialysis; Tx: transplant; Oth: other; DM: diabetes mellitus

Categories may not add up to total or to 100% because of missing values or rounding off

Other includes haemofiltration (HF), haemodiafiltration (HDF) and unknown

When cells are left empty, (complete) data are unavailable

Table A.4.1

Prevalence counts and percentage*prevalent patients on December 31, by age and gender*

| | All | | | | | | 0-19 | | | | | | 20-44 | | | | | | 45-64 | | | | | | 65-74 | | | | | | 75+ | | | | | |
|----------------------------------|-------|-----|-------|-----|-------|-----|------|---|-----|---|-------|---|-------|----|------|----|-------|----|-------|----|------|----|-------|----|-------|----|------|----|-------|----|------|----|------|----|-------|----|
| | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | | All | | Men | | Women | |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | | | | |
| United Kingdom, All countries | 37426 | 100 | 22660 | 100 | 14766 | 100 | | | | | | | 9748 | 26 | 5790 | 26 | 3958 | 27 | 14912 | 40 | 8964 | 40 | 5948 | 40 | 7470 | 20 | 4550 | 20 | 2920 | 20 | 5296 | 14 | 3356 | 15 | 1940 | 13 |
| United Kingdom, England | 30326 | 100 | 18414 | 100 | 11912 | 100 | | | | | | | 7892 | 26 | 4698 | 26 | 3194 | 27 | 12116 | 40 | 7261 | 39 | 4855 | 41 | 6053 | 20 | 3709 | 20 | 2344 | 20 | 4265 | 14 | 2746 | 15 | 1519 | 13 |
| United Kingdom, Northern Ireland | 1283 | 100 | 772 | 100 | 511 | 100 | | | | | | | 336 | 26 | 208 | 27 | 128 | 25 | 473 | 37 | 289 | 37 | 184 | 36 | 270 | 21 | 159 | 21 | 111 | 22 | 204 | 16 | 116 | 15 | 88 | 17 |
| United Kingdom, Scotland | 3838 | 100 | 2216 | 100 | 1622 | 100 | 85 | 2 | 50 | 2 | 35 | 2 | 1073 | 28 | 606 | 27 | 467 | 29 | 1507 | 39 | 899 | 41 | 608 | 37 | 717 | 19 | 408 | 18 | 309 | 19 | 456 | 12 | 253 | 11 | 203 | 13 |
| United Kingdom, Wales | 2064 | 100 | 1308 | 100 | 756 | 100 | | | | | | | 447 | 22 | 278 | 21 | 169 | 22 | 816 | 40 | 515 | 39 | 301 | 40 | 430 | 21 | 274 | 21 | 156 | 21 | 371 | 18 | 241 | 18 | 130 | 17 |

Categories may not add up to total or to 100% because of missing values or rounding off

Percentages are row percentages

When cells are left empty, (complete) data are unavailable

Table A.4.2
Gender, mean and median age
prevalent patients on December 31

| | All | | | | Men | | | | Women | | | |
|----------------------------------|-----|-----------------|------|-------------------|------|-----------------|------|-------------------|-------|-----------------|------|-------------------|
| | % | Mean (years) | SD | Median (years) | % | Mean (years) | SD | Median (years) | % | Mean (years) | SD | Median (years) |
| United Kingdom, All countries † | 100 | 56.7 | 15.9 | 57.5 | 60.5 | 57.0 | 16.0 | 57.7 | 39.5 | 56.3 | 15.8 | 57.2 |
| United Kingdom, England | 100 | 56.7 | 15.9 | 57.5 | 60.7 | 57.0 | 16.0 | 57.8 | 39.3 | 56.2 | 15.7 | 57.1 |
| United Kingdom, Northern Ireland | 100 | 57.2 | 16.4 | 58.0 | 60.2 | 56.9 | 16.4 | 57.5 | 39.8 | 57.8 | 16.4 | 58.9 |
| United Kingdom, Scotland | 100 | 54.5 | 16.6 | 55.1 | 57.7 | 54.4 | 16.6 | 55.0 | 42.3 | 54.7 | 16.7 | 55.4 |
| United Kingdom, Wales | 100 | 58.8 | 16.1 | 59.3 | 63.4 | 59.0 | 16.0 | 59.5 | 36.6 | 58.5 | 16.2 | 58.7 |

Categories may not add up to total or to 100% because of missing values or rounding off

† Patients younger than 20 years of age are not reported

A4 PREVALENT PATIENTS ON RRT IN 2005
Table A.4.3
Prevalence per million population, unadjusted
prevalent patients on December 31, by age and gender

| | All | | | 0-19 | | | 20-44 | | | 45-64 | | | 65-74 | | | 75+ | | |
|----------------------------------|-------|-------|-------|------|------|-------|-------|-------|-------|--------|--------|-------|--------|--------|--------|--------|--------|--------|
| | All | Men | Women | All | Men | Women | All | Men | Women | All | Men | Women | All | Men | Women | All | Men | Women |
| | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp |
| United Kingdom, All countries | 678.4 | 839.1 | 524.3 | | | | 505.7 | 602.8 | 409.3 | 1103.6 | 1346.0 | 868.1 | 1613.6 | 2077.6 | 1197.0 | 1256.9 | 2089.7 | 744.0 |
| United Kingdom, England | 668.1 | 827.0 | 515.2 | | | | 494.3 | 588.7 | 400.0 | 1097.4 | 1332.3 | 868.3 | 1604.6 | 2068.9 | 1184.1 | 1225.6 | 2058.5 | 707.8 |
| United Kingdom, Northern Ireland | 743.9 | 914.2 | 580.6 | | | | 554.0 | 691.3 | 418.8 | 1199.3 | 1487.4 | 919.5 | 2101.2 | 2681.3 | 1604.0 | 1892.4 | 2921.9 | 1292.2 |
| United Kingdom, Scotland | 753.3 | 902.2 | 614.7 | 71.3 | 81.9 | 60.2 | 611.5 | 706.1 | 521.0 | 1146.2 | 1400.6 | 903.6 | 1570.0 | 1959.8 | 1243.4 | 1211.5 | 1845.2 | 848.4 |
| United Kingdom, Wales | 697.6 | 909.7 | 497.1 | | | | 471.1 | 597.0 | 349.8 | 1071.6 | 1378.1 | 776.2 | 1582.0 | 2110.9 | 1098.6 | 1487.0 | 2531.5 | 842.5 |

When cells are left empty, (complete) data are unavailable

A4 PREVALENT PATIENTS ON RRT IN 2005
Table A.4.4
Prevalence per million population and percentage, unadjusted
prevalent patients on December 31, by cause of renal failure

| | Total | | GN | | PN | | PKD | | DM | | | | | | HT | | RVD | | Misc | | Unkn | | Missing | |
|----------------------------------|-------|-----|-------|------|-------|------|------|------|--------|------|---------|------|------|------|------|-----|-------|------|-------|------|-------|------|---------|---|
| | | | | | | | | | Type I | | Type II | | Both | | | | | | | | | | | |
| | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % | Pmp | % |
| United Kingdom, All countries † | 678.4 | 100 | 124.6 | 19.7 | 82.9 | 13.1 | 58.8 | 9.3 | | | 82.3 | 12.1 | 36.2 | 5.7 | 18.6 | 2.9 | 104.4 | 16.5 | 126.0 | 19.9 | 0 | 0 | | |
| United Kingdom, England | 668.1 | 100 | 117.8 | 19.1 | 78.1 | 12.6 | 57.1 | 9.2 | 47.5 | 7.7 | 32.6 | 5.3 | 80.1 | 12.0 | 38.1 | 6.2 | 17.2 | 2.8 | 103.3 | 16.7 | 126.1 | 20.4 | 0 | 0 |
| United Kingdom, Northern Ireland | 743.9 | 100 | 136.8 | 18.9 | 117.1 | 16.2 | 72.5 | 10.0 | | | 104.4 | 14.0 | 15.7 | 2.2 | 27.8 | 3.8 | 140.3 | 19.4 | 110.2 | 15.2 | 0 | 0 | | |
| United Kingdom, Scotland | 753.3 | 100 | 175.1 | 23.3 | 124.0 | 16.5 | 72.6 | 9.7 | 62.0 | 8.2 | 24.7 | 3.3 | 86.8 | 11.5 | 30.2 | 4.0 | 26.5 | 3.5 | 122.9 | 16.3 | 113.8 | 15.1 | 0 | 0 |
| United Kingdom, Wales | 697.6 | 100 | 137.6 | 21.2 | 72.0 | 11.1 | 53.7 | 8.3 | 65.6 | 10.1 | 29.7 | 4.6 | 95.3 | 13.7 | 28.7 | 4.4 | 21.0 | 3.2 | 84.8 | 13.1 | 155.8 | 24.0 | 0 | 0 |

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown
When cells are left empty, (complete) data are unavailable
† Patients younger than 20 years of age are not reported

Table A.4.5

Prevalence per million population, adjusted*prevalent patients on December 31, by cause of renal failure, adjusted for age and gender*

| | DM | | | | | | | | | | | |
|----------------------------------|--------------|-----------|-----------|------------|---------------|----------------|-------------|-----------|------------|-------------|-------------|--|
| | Total Pmp | GN Pmp | PN Pmp | PKD Pmp | Type I Pmp | Type II Pmp | Both Pmp | HT Pmp | RVD Pmp | Misc Pmp | Unkn Pmp | |
| United Kingdom, All countries † | 675.3 | 124.6 | 82.9 | 58.7 | | | 82.3 | 35.7 | 17.8 | 104.4 | 124.5 | |
| United Kingdom, England | 666.3 | 117.9 | 78.0 | 57.2 | 47.8 | 32.6 | 80.4 | 37.8 | 16.5 | 103.3 | 125.0 | |
| United Kingdom, Northern Ireland | 803.8 | 146.2 | 123.8 | 78.7 | | | 113.7 | 17.1 | 30.5 | 153.0 | 119.0 | |
| United Kingdom, Scotland | 738.9 | 172.2 | 123.8 | 69.0 | 60.6 | 23.7 | 84.3 | 29.0 | 25.1 | 122.9 | 111.4 | |
| United Kingdom, Wales | 668.9 | 135.1 | 72.6 | 50.7 | 62.4 | 27.7 | 90.1 | 27.4 | 18.2 | 82.5 | 146.4 | |

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

A4 PREVALENT PATIENTS ON RRT IN 2005

Table A.4.6
Prevalence counts

prevalent patients on December 31, by established therapy

| | Total | Haemodialysis | | | | | | Peritoneal dialysis | | | | Transplant | | | | Unkn | Missing |
|----------------------------------|-------|--------------------|---------|--------------|----|-----|-----------------|---------------------|------|--------------|----------|------------|---------|--------------|----------|------|---------|
| | | HD hospital/centre | HD home | HD type Unkn | HF | HDF | Total HD/HF/HDF | APD | CAPD | PD type Unkn | Total PD | Living | Cadaver | Tx type Unkn | Total Tx | | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| United Kingdom, All countries † | 37426 | 15784 | 401 | 262 | | | 16509 | 1369 | 3144 | 88 | 4601 | 1467 | 9648 | 5199 | 16314 | 2 | 0 |
| United Kingdom, England | 30326 | 12787 | 335 | 102 | 53 | 8 | 13285 | 1053 | 2641 | 71 | 3765 | 1133 | 7597 | 4544 | 13274 | 2 | 0 |
| United Kingdom, Northern Ireland | 1283 | 493 | 0 | 160 | 0 | 0 | 653 | 60 | 32 | 17 | 109 | 25 | 126 | 370 | 521 | 0 | 0 |
| United Kingdom, Scotland | 3838 | 1579 | 44 | 0 | | | 1623 | 192 | 223 | 0 | 415 | 321 | 1294 | 185 | 1800 | 0 | 0 |
| United Kingdom, Wales | 2064 | 935 | 23 | 0 | 1 | 0 | 959 | 69 | 255 | 0 | 324 | 4 | 660 | 117 | 781 | 0 | 0 |

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

Table A.4.7

Prevalence per million population, unadjusted*prevalent patients on December 31, by established therapy*

| | Total | Haemodialysis | | | | | | Peritoneal dialysis | | | | Transplant | | | | Unkn | Missing | | |
|----------------------------------|-------|--------------------|-----|---------|-----|---------|-----|---------------------|-----------------|------|------|------------|----------|--------|---------|---------|----------|-----|---|
| | | HD hospital/centre | | HD home | | HD type | HF | HDF | Total HD/HF/HDF | APD | CAPD | PD type | Total PD | Living | Cadaver | Tx type | Total Tx | | |
| | | Pmp | Pmp | Pmp | Pmp | Unkn | Pmp | Pmp | Pmp | Pmp | Pmp | Unkn | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | |
| United Kingdom, All countries † | 678.4 | 286.1 | 7.3 | 4.7 | | | | | 299.3 | 24.8 | 57.0 | 1.6 | 83.4 | 26.6 | 174.9 | 94.2 | 295.7 | 0 | 0 |
| United Kingdom, England | 668.1 | 281.7 | 7.4 | 2.2 | 1.2 | 0 | | | 292.7 | 23.2 | 58.2 | 1.6 | 83.0 | 25.0 | 167.4 | 100.1 | 292.5 | 0 | 0 |
| United Kingdom, Northern Ireland | 743.9 | 285.9 | 0 | 92.8 | 0 | 0 | | | 378.6 | 34.8 | 18.6 | 9.9 | 63.2 | 14.5 | 73.1 | 214.5 | 302.1 | 0 | 0 |
| United Kingdom, Scotland | 753.3 | 309.9 | 8.6 | 0 | | | | | 318.6 | 37.7 | 43.8 | 0 | 81.5 | 63.0 | 254.0 | 36.3 | 353.3 | 0 | 0 |
| United Kingdom, Wales | 697.6 | 316.0 | 7.8 | 0 | 0 | 0 | | | 324.1 | 23.3 | 86.2 | 0 | 109.5 | 1.4 | 223.1 | 39.5 | 264.0 | 0 | 0 |

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

A4 PREVALENT PATIENTS ON RRT IN 2005
Table A.4.8
Prevalence per million population, adjusted
prevalent patients on December 31, by established therapy, adjusted for age and gender

| | Total | Haemodialysis | | | | | | Peritoneal dialysis | | | | Transplant | | | | Unkn | Missing | |
|----------------------------------|-------|--------------------|-----|---------|-----|--------------|-------|---------------------|------|--------------|-------|------------|--------|---------|--------------|------|---------|-----|
| | | HD hospital/centre | | HD home | | HD type Unkn | | APD | CAPD | PD type Unkn | | Total PD | Living | Cadaver | Tx type Unkn | | | |
| | | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp |
| United Kingdom, All countries † | 675.3 | 281.4 | 7.3 | 4.6 | | | 294.4 | 24.7 | 56.5 | 1.6 | 82.8 | 27.1 | 175.9 | 95.0 | 298.0 | 0 | 0 | |
| United Kingdom, England | 666.3 | 277.8 | 7.4 | 2.1 | 1.2 | 0 | 288.6 | 23.2 | 57.8 | 1.5 | 82.5 | 25.4 | 168.7 | 101.0 | 295.1 | 0 | 0 | |
| United Kingdom, Northern Ireland | 803.8 | 312.8 | 0 | 101.4 | 0 | 0 | 414.1 | 37.0 | 19.8 | 10.8 | 67.6 | 15.7 | 77.5 | 228.9 | 322.1 | 0 | 0 | |
| United Kingdom, Scotland | 738.9 | 300.3 | 8.5 | 0 | | | 308.8 | 37.0 | 42.7 | 0 | 79.7 | 64.5 | 250.3 | 35.7 | 350.4 | 0 | 0 | |
| United Kingdom, Wales | 668.9 | 290.6 | 7.8 | 0 | 0 | 0 | 298.6 | 21.8 | 82.2 | 0 | 104.0 | 1.3 | 224.5 | 40.4 | 266.2 | 0 | 0 | |

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

A4 PREVALENT PATIENTS ON RRT IN 2005

Table A.4.9
Percentage of established therapy, unadjusted
prevalent patients on December 31

| | Total | Haemodialysis | | | | | | Peritoneal dialysis | | | | Transplant | | | | Unkn | Missing |
|----------------------------------|-------|--------------------|---------|--------------|----|-----|-----------------|---------------------|------|--------------|----------|------------|---------|--------------|----------|------|---------|
| | | HD hospital/centre | HD home | HD type Unkn | HF | HDF | Total HD/HF/HDF | APD | CAPD | PD type Unkn | Total PD | Living | Cadaver | Tx type Unkn | Total Tx | | |
| | | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| United Kingdom, All countries † | 100 | 42.2 | 1.1 | 0.7 | | | 44.1 | 3.7 | 8.4 | 0 | 12.3 | 3.9 | 25.8 | 13.9 | 43.6 | 0 | 0 |
| United Kingdom, England | 100 | 42.2 | 1.1 | 0 | 0 | 0 | 43.8 | 3.5 | 8.7 | 0 | 12.4 | 3.7 | 25.1 | 15.0 | 43.8 | 0 | 0 |
| United Kingdom, Northern Ireland | 100 | 38.4 | 0 | 12.5 | 0 | 0 | 50.9 | 4.7 | 2.5 | 1.3 | 8.5 | 1.9 | 9.8 | 28.8 | 40.6 | 0 | 0 |
| United Kingdom, Scotland | 100 | 41.1 | 1.1 | 0 | | | 42.3 | 5.0 | 5.8 | 0 | 10.8 | 8.4 | 33.7 | 4.8 | 46.9 | 0 | 0 |
| United Kingdom, Wales | 100 | 45.3 | 1.1 | 0 | 0 | 0 | 46.5 | 3.3 | 12.4 | 0 | 15.7 | 0 | 32.0 | 5.7 | 37.8 | 0 | 0 |

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

When cells are left empty, (complete) data are unavailable

† Patients younger than 20 years of age are not reported

Table A.4.10

Percentage of established therapy, unadjusted*prevalent patients on December 31, by age, gender and primary diagnosis*

| | Total | | | | 0-19 | | | | 20-44 | | | | 45-64 | | | | 65-74 | | | | 75+ | | | | Men | | | | Women | | | | DM | | | | Non DM | | | |
|----------------------------------|-------|----|----|-----|------|----|----|-----|-------|----|----|-----|-------|----|----|-----|-------|----|----|-----|-----|----|----|-----|-----|----|----|-----|-------|----|----|-----|----|----|----|-----|--------|----|----|---|
| | HD | PD | Tx | Oth | HD | PD | Tx | Oth | HD | PD | Tx | Oth | HD | PD | Tx | Oth | HD | PD | Tx | Oth | HD | PD | Tx | Oth | HD | PD | Tx | Oth | HD | PD | Tx | Oth | HD | PD | Tx | Oth | | | | |
| | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | |
| United Kingdom, All countries | 44 | 12 | 44 | 0 | | | | | 28 | 11 | 61 | 0 | 36 | 12 | 52 | 0 | 56 | 14 | 29 | 0 | 78 | 12 | 9 | 0 | 44 | 12 | 44 | 0 | 43 | 13 | 43 | 0 | 59 | 17 | 24 | 0 | 42 | 12 | 46 | 0 |
| United Kingdom, England | 44 | 12 | 44 | 0 | | | | | 28 | 11 | 61 | 0 | 36 | 12 | 52 | 0 | 56 | 15 | 29 | 0 | 77 | 13 | 9 | 0 | 44 | 12 | 44 | 0 | 43 | 13 | 44 | 0 | 59 | 17 | 24 | 0 | 42 | 12 | 46 | 0 |
| United Kingdom, Northern Ireland | 51 | 8 | 41 | 0 | | | | | 26 | 11 | 63 | 0 | 45 | 9 | 46 | 0 | 63 | 7 | 29 | 0 | 88 | 4 | 7 | 0 | 49 | 8 | 42 | 0 | 53 | 9 | 38 | 0 | 69 | 7 | 23 | 0 | 48 | 9 | 43 | 0 |
| United Kingdom, Scotland | 42 | 11 | 47 | 0 | 13 | 14 | 73 | 0 | 26 | 11 | 63 | 0 | 35 | 11 | 54 | 0 | 58 | 12 | 30 | 0 | 86 | 7 | 7 | 0 | 42 | 9 | 48 | 0 | 42 | 13 | 45 | 0 | 55 | 13 | 31 | 0 | 41 | 11 | 49 | 0 |
| United Kingdom, Wales | 46 | 16 | 38 | 0 | | | | | 26 | 14 | 60 | 0 | 37 | 16 | 47 | 0 | 59 | 20 | 21 | 0 | 77 | 13 | 9 | 0 | 46 | 16 | 38 | 0 | 48 | 15 | 38 | 0 | 62 | 21 | 17 | 0 | 44 | 15 | 41 | 0 |

Abbreviations used: HD: haemodialysis; PD: peritoneal dialysis; Tx: transplant; Oth: other; DM: diabetes mellitus

Categories may not add up to total or to 100% because of missing values or rounding off

Other includes haemofiltration (HF), haemodiafiltration (HDF) and unknown

When cells are left empty, (complete) data are unavailable

Table A.4.11
Renal transplants performed in 2005, number and percentage
by donor type

| | Total | | Living | | | | | | Cadaver | | Donor type Unkn | |
|----------------------------------|-------|-----|---------|------|-----------|-----|-----------|-----|---------|------|-----------------|------|
| | | | Related | | Unrelated | | Type Unkn | | All | | | |
| | N | % | N | % | N | % | N | % | N | % | N | % |
| United Kingdom, All countries † | 1602 | 100 | 203 | 12.7 | 42 | 2.6 | 5 | 0.3 | 250 | 15.6 | 912 | 56.9 |
| United Kingdom, England | 1382 | 100 | 171 | 12.4 | 41 | 3.0 | 2 | 0.1 | 214 | 15.5 | 741 | 53.6 |
| United Kingdom, Northern Ireland | 44 | 100 | 15 | 34.1 | 0 | 0 | 0 | 0 | 15 | 34.1 | 28 | 63.6 |
| United Kingdom, Scotland | 127 | 100 | 18 | 14.2 | 1 | 0.8 | 3 | 2.4 | 22 | 17.3 | 87 | 68.5 |
| United Kingdom, Wales | 56 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 100 |
| | | | | | | | | | | | 0 | 0 |

Categories may not add up to total or to 100% because of missing values or rounding off

† Patients younger than 20 years of age are not reported

Table A.4.12
Renal transplants per million population performed in 2005
by donor type

| | Total | | Living | | | Cadaver | Donor type Unkn |
|----------------------------------|--------------|------------|----------------|------------------|------------------|----------------|------------------------|
| | | | Related | Unrelated | Type Unkn | | |
| | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp | Pmp |
| United Kingdom, All countries † | 29.0 | 3.7 | 0.8 | 0.1 | 4.5 | 16.5 | 8.0 |
| United Kingdom, England | 30.4 | 3.8 | 0.9 | 0 | 4.7 | 16.3 | 9.4 |
| United Kingdom, Northern Ireland | 25.5 | 8.7 | 0 | 0 | 8.7 | 16.2 | 0.6 |
| United Kingdom, Scotland | 24.9 | 3.5 | 0.2 | 0.6 | 4.3 | 17.1 | 3.5 |
| United Kingdom, Wales | 18.9 | 0 | 0 | 0 | 0 | 18.9 | 0 |

† Patients younger than 20 years of age are not reported

www.era-edta-reg.org

ERA-EDTA Registry
Academic Medical Center
Department of Medical Informatics
Room J1B-125
PO Box 22700
1100 DE Amsterdam
The Netherlands

June 2007

