

Power Point charts from the Scottish Renal Registry Report 2002-2004

Section D Anaemia 2005

Published by the Information Services Division (ISD Scotland), Common Services Agency for NHSScotland, 1 South Gyle Crescent, Edinburgh EH12 9EB on behalf of the Scottish Renal Registry
© Common Services Agency 2007

Suggested citation :

Scottish Renal Association (2006).

Scottish Renal Registry Report, 2004.

Edinburgh :

Information Services Division.

ISBN

These charts may be reproduced without permission provided the source is acknowledged.

The full report is available on the Scottish Renal Registry website.

ISBN

The Scottish Renal Registry

3rd floor

Walton Building

Glasgow Royal Infirmary

GLASGOW

G4 0SF

Scotland, UK

Phone +00 44 141 211 5171

Fax +00 44 141 211 4843

Email srras@compuserve.com

Website <http://www.srr.scot.nhs.uk>




Scottish Renal Registry Report 2002-2004

D1 Number of adult patients, haemoglobin, serum ferritin concentration, dose of ESA and iv iron prescribed in adult haemodialysis patients by renal unit in autumn 2005

Renal Unit	Number of patients	Median Hb concentration (range) g/dL	% patients with Hb ≥ 10 g/dL	Mean serum ferritin concentration mg/L	% patients using an ESA	Mean weekly ESA dose units (equivalent)	Median weekly ESA dose units (equivalent)	% patients using iv iron	Mean weekly dose of iv iron sucrose mg
Number (%) of patients with results	1456 (100)	1466 (99.9)		1415 (97)	1425 (98)				1420 (98)
ARI	160	11.9 (8.4-15.4)	86	412	92	8426	6000	75	53
XH	99	12.0 (7.5-15.0)	86	567	87	6989	6000	73	51
DGRI	45	11.2 (7.9-14.8)	82	625	96	8893	6000	60	64
GRI	285	11.5 (7.4-15.0)	81	453	94	9661	8000	65	61
MONK	134	11.9 (7.0-15.1)	86	699	91	8799	8000	94	81
NINE	123	12.1 (7.7-15.5)	85	1398	90	6000	6000	70	82
RAIG	67	12.1 (8.7-14.6)	91	557	94	8288	6000	79	40
RIE	213	11.9 (7.0-15.9)	93	386	95	10774	9000	54	50
WIG	248	11.6 (7.1-16.2)	84	354	95	9165	6000	74	66
QMHD	82	11.6 (7.1-16.2)	79	607	83	7134	6000	56	52
Scotland	1456	11.8 (7.0-16.2)	85	562	91	8943	6000	70	61




D3 Distribution of haemoglobin concentration (g/dL) in adult haemodialysis Patients by renal unit in autumn 2005






D4 Distribution of serum ferritin concentration (mg/L) in adult haemodialysis patients by renal unit in autumn 2005





D5 Distribution of weekly ESA dose (units equivalent) in adult haemodialysis patients by renal unit in autumn 2005






D6 Percentage of adult haemodialysis patients receiving each dose range ESA dose (units equivalent) by renal unit in autumn 2005

Dose of ESA units (equivalent)/week	ARI	XH	DGRI	GRI	MONK	NINE	QMHD	RAIG	RIE	WIG	Scotland
0	8	17	4	13	9	6	6	5	5	10	9
1-1999	2	3	2	1	2	1	2	2	0	0	1
2000-3999	8	16	13	8	12	15	15	24	2	9	10
4000-5999	18	8	13	8	15	16	20	19	11	14	13
6000-7999	15	20	22	19	10	18	18	13	25	19	18
8000-9999	18	8	2	11	18	18	13	6	17	12	14
10000-14999	13	13	20	14	11	16	16	15	13	14	14
15000-19999	14	11	9	13	18	5	6	3	16	14	13
20000-29999	1	2	13	7	2	4	0	8	6	6	5
≥30000	3	1	0	4	2	1	4	5	5	3	3



D7 Distribution of weekly intravenous iron dose (mg) in adult haemodialysis patients by renal unit in autumn 2005





D8 Percentage of adult haemodialysis patients in Scotland with a haemoglobin concentration > 10g/dL between 1995 and 2005

